

Phone: 800.51	1.5144 • Fax: 877.541.1503
Date Shipment Needed:	Ship To: ☐ Patient ☐ Prescriber
□ Nursing needed; □ Training needed ► All the supplies including sy	ringes and needles will be dispensed if needed.

		ALTERNATIVI	E GASTROI	ENTEROLOGY REF	ERRAL FORM				
PATIENT II	NFORMATION								
Patient Name:		DOB:	B: Sex: \square M \square F \square Other:		W	eight:	□lbs	s. □ kg.	
SSN:	Phone:		Allergies:						
Address:			1	City:	State:	Zi			
Emergency			Phone:		□ Please	attach demogr	aphic info	rmation	
	BER INFORMATION		Lini			21 1 11			
Prescriber:			NPI:		DEA:	State Lic:			
	g Physician:			Practice Name:	Ctata	7:			
Address:		 Fax:		City: Key Office Contact:	State:	Zi			
Phone:	S INFORMATION / MEDICAL ASSE			Key Office Contact.		Pi	none:		
-	iagnosis: (ICD-10 Code & Description and been diagnosed with ☐ Hepatic Ence	•	a Rowal Syndror	me (IRS). □ IRS with Diarrh	ea (IRS-D) or \Box Inva	esive Bladder Can	cer \square FoF \square		
	st ALL MEDS below that patient has tried	•							
- 1 10030 113	RALE MEDO BOIOW that patient has the	and failed for ax incit	aurig. (O10, Mo	unity Agent, Antiopasmoule,	moyelle Amacpiessa				
Other me	dications patient is currently taking with o	losage and direction	(or fax medication	on profile):					
	CE INFORMATION		·	, , , , , , , , , , , , , , , , , , , ,					
	ttach front and back of patient's in	nsurance card (m	edical and pre	escription)					
	RD ENROLLMENT								
☐ Please o	heck if enrolling in copay card	Copay ID:							
PRESCRIP	TION INFORMATION								
Dificid®	☐ 200 mg Tablet (for adults and child	ren > 12 5 ka)							
Dinoid	Take 200 mg PO BID for 10 days, w					QTY:	20	Refills:	0
Dupixent®	☐ 300 mg (for adults and children ≥ 4)	0ka) □Pen □Sv	ringe						
Dupixent	Inj 300 mg SQ once weekly	ику) ⊡теп ⊡оу	illige			QTY:	4	Refills:	
Dunivant®		□ Don (ogo: 21) □	Curingo (ago 1	.\				•	
Dupixent®	☐ 200 mg (for children 15 to < 30 kg) Inj 200 mg SQ once every other we		J Synnige (age 1	+)		QTY:	2	Refills:	
Duminont®						· <u></u>		•	
Dupixent®	☐ 300 mg (for children 30 to < 40 kg) ☐ Pen (age: 2+) ☐ Syringe (age inj 300 mg SQ once every other week			+)	QTY:	2	Refills:		
E. L. W. TM								1	
Eohilia [™]	☐ 2 mg/10 mL Packet Take 1 packet (2 mg) PO twice daily				QTY: #60 Packets/3		DS I Refills	2	
						DO TROMIO.			
lqirvo®	☐ 80 mg Tablet Take 1 tablet PO once daily with or the second of the	without food				QTY:	30	Refills:	
	•	without 1000				Q11	30	TACIIII3.	
Ocaliva®	☐ 5 mg Tablet ☐ 10 mg Tablet Take 1 tablet po once daily					QTY:	30	Refills:	
	rake i tablet po office dally					Q11	30	Neillis.	
Xifaxan®	☐ 550 mg Tablet *If recurrence occurs the	en patient can be retreate	ed up to 2 times with	h the same regimen for IBS-D					
	☐ Take 550 mg PO TID for 14 days					QTY:		Refills:	
	☐ Take 550 mg PO BID					QTY:	60	Refills:	
☐ Other:						QTY:		Refills:	
Prescribe	er's Signature:				DAW (Dispense as W		Date: _		
	tifies that this referral form contains an original rescription blank. In the event requested agent						by law, send el	ectronic prescrip	otion or on
	. •	·		•					