# Completed by the prescriber




**Please print the form, fill it out completely, sign it, and fax to: 1-855-465-3820** IPSEN CARES must receive all pages in order for the Enrollment Form to be complete. Note: Page 3 can be left blank if the patient is not seeking to participate in the Patient Assistance Program.

IQIR © elafibranor 80 mg tablets
Zip

State License # _ Tax ID # _ NPI # _ City _ State _ Zip		PRESCRIBER INFORMATION									
Medicaid Provider # (Required if Medicaid Patient)   Office Contact and Title   Provider Transaction Access # (PTAN)   Office/Institution   Specialty   Email   Best Time to Contact   Morning   Afternoon   Evening   SPECIALTY PHARMACY   If you would like IPSEN CARES to triage the prescription to the Iqirvo limited specialty pharmacy network, complete the prescription in Step 4.   Preferred Specialty Pharmacy   Preferred Medical To Prefe		Prescriber Name (First & Last)				Address					
Office/Institution						City State Zip					
Office/Institution	H						ct and Title				
Preferred Method of Contact   Phone   Fax   Email   Best Time to Contact   Morning   Afternoon   Evening	S	Provider Tran	saction Access # (PTAN)			Phone #		Fa	nx #		
SPECIALTY PHARMACY If you would like IPSEN CARES to triage the prescription to the Iqirvo limited specialty pharmacy network, complete the prescription information in Step 4.  Preferred Specialty Pharmacy* - Please indicate below if you have a preferred specialty pharmacy within the Iqirvo network AcariaHealth™ Accrede Health Group, Inc.  AllianacRex Walgreens Pharmacy CVS Specialty Pharmacy No preference  PIDAGNOSIS  K74.3 Primary Biliary Cholangitis (PBC) Injury is indicated for the treatment of adult patients with PBC in combination with unsodeoxyholic acid (DCA) for adults with inadequate response to UDCA or as monotherapy for adults with inadequate response to UDCA or as monotherapy for adults with inadequate response to UDCA or as monotherapy for adults with inadequate response to UDCA or as monotherapy for adults with inadequate response to UDCA or as monotherapy for adults with an intolerance to UDCA.  PRESCRIPTION AND PRESCRIBER ATTESTATION Complete this section if you would like IPSEN CARES to triage the prescription to a specialty pharmacy or if the patient is seeking enrollment in the PAP.  PRESCRIPTION: (Igirvo* (elafibranor)) Patient Name (First & Last)  — Date of Birth (MM/DD/YY)  — / — / Patient Address — Gender Assigned at Birth Male Female  Medication Strength Quantity Days Supply Refills Directions    Prior Authorization Effective Dates:		Office/Institut	tion Special	ty		Email					
If you would like IPSEN CARES to triage the prescription to the Iqirvo limited specialty pharmacy, complete the prescription information in Step 4.  Preferred Specialty Pharmacy* - Please indicate below if you have a preferred specialty pharmacy within the Iqirvo network  AccraidHealth™ Accred Health Group, Inc.  AllianceRx Walgreens Pharmacy CenterWell Specialty Pharmacy  CVS Specialty® Optum® Specialty Pharmacy No preference  *Selection will be honored if permitted by patient's insurance  *Selection will be patients treated with Iquro. Continued approval  for this indication in approved under accelerated approval based on reduction of all likeling in the patient's insurance  *Selection will be honored if permitted by patient's insurance  *Selection will be honored if permitted by patient's insurance  *Selection will		Preferred Met	hod of Contact Phone F	Fax Email	I	Best Time to	Contact	Morning	Afternoo	n Evenin	g
K74.3 Primary Billary Cholangitis (PBC) (grive) is indicated for the treatment of adult patients with PBC in combination with ursodeoxycholic acid (UDCA) for adults with inadequate response to UDCA or as monotherapy for adults with an intolerance to UDCA.  PRESCRIPTION AND PRESCRIBER ATTESTATION  Complete this section if you would like IPSEN CARES to triage the prescription to a specialty pharmacy or if the patient is seeking enrollment in the PAP.  PRESCRIPTION: Iqirvo® (elafibranor)  Patient Address  Medication Strength Quantity Days Supply Refills Directions  Iqirvo 80 mg tablet  Prior Authorization #, if known:  Prior Authorization #, if known:  Prescriber or an individual acting at the direction of the Perscriber and involved in the patient to rope, assistance Program (PAP) or or or or or la patient for free goods as part of the Patient Assistance Program (PAP) or or the roll a patient for free goods as part of the Patient Assistance Program (PAP) in the therapy referenced in this form is to be used as a prescription to be triaged to a specialty pharmacy to enroll a patient for free goods as part of the Patient Assistance Program (PAP) or or or or ordinal patient for free goods as part of the Patient Assistance Program (PAP) or or or ordinal patient for free goods as part of the Patient Assistance Program (PAP) in the request is limited to Benefit Verification or Copay Assistance Program support, the patients are program support, the patients of the patient for free goods as part of the Patient Assistance Program (PAP) or or or ordinal patient for free goods as part of the Patient Assistance Program (PAP) or or ordinal patient for free goods as part of the Patient Assistance Program (PAP) or ordinal patient for free goods as part of the Patient Assistance Program (PAP) or ordinal patient for free goods as part of the Patient Assistance Program (PAP) or or ordinal patient for free goods as part of the Patient Assistance Program (PAP) or ordinal patient for free goods as part of the Patient Assistance Progra		If you would l information in Preferred Spe have a prefer AcariaHeal AllianceRx	f you would like IPSEN CARES to triage the prescription to the Iqirvo limited specialty pharmacy network, complete the prescription in Step 4.  Preferred Specialty Pharmacy* - Please indicate below if you have a preferred specialty pharmacy within the Iqirvo network  AcariaHealth™ Accredo Health Group, Inc.  AllianceRx Walgreens Pharmacy CenterWell Specialty Pharmacy						lo ,		
Complete this section if you would like IPSEN CARES to triage the prescription to a specialty pharmacy or if the patient is seeking enrollment in the PAP.  PRESCRIPTION: Iqirvo® (elafibranor)  Patient Name (First & Last)	Н	K74.3 Primary Biliary Cholangitis (PBC) Iqirvo is indicated for the treatment of adult patients with PBC in combination with ursodeoxycholic acid (UDCA) for adults with inadequate response to  This indication is approved under accelerated approval based or reduction of alkaline phosphatase (ALP) and total bilirubin (TB) observed in patients treated with Iqirvo. Continued approval for this indication may be contingent upon verification and					on )				
Medication Strength Quantity Days Supply Refills Directions    Iqirvo   80 mg tablet   80 mg taken orally once daily		enrollment in the PAP.  PRESCRIPTION: Iqirvo® (elafibranor)  Patient Name (First & Last) Date of Birth (MM/DD/YY) / /									
Prior Authorization #, if known:											
PRESCRIBER ATTESTATION  (The Prescriber must sign if this form is to be used as a prescription to be triaged to a specialty pharmacy to enroll the patient for free goods as part of the Patient Assistance Program (PAP) or to enroll a patient for free goods as part of the Temporary Patient Assistance Program (TPAP). If the request is limited to Benefit Verification or Copay Assistance Program support, the Prescriber, or an individual acting at the direction of the Prescriber and involved in the patient's care may sign this form.)  By signing below, I certify that the therapy referenced in this form is medically necessary. If this form is to be used to enroll a patient in free goods as part of the PAP or Temporary PAP, I cert that the therapy referenced in this form is prescribed consistent with an FDA-approved indication. I certify that a prescription signed by a licensed prescriber is on file for the referenced therapy and that I have received the necessary authorization from the patient and/or the patient's guardian to release the information herein and medical and/or patient information relation liquivo therapy to Ipsen and its agents or contractors for the purpose of seeking reimbursement for Iqirvo therapy, assisting in initiating or continuing Iqirvo therapy, and/or evaluating the patient's eligibility for Ipsen's patient support programs administered by IPSEN CARES unthorize Jepsen and its agents or contractions to forward a prescription by fax or other delivery more to the designated pharmacy. I understand that I must comply with applicable state-specific prescription requirements such as e-prescribion fyrm to nonection with any IPSEN CARES (and its approach to the Inserting Insert					.,,		80 mg taken	orally once da	ily		
PRESCRIBER ATTESTATION  (The Prescriber must sign if this form is to be used as a prescription to be triaged to a specialty pharmacy to enroll the patient for free goods as part of the Patient Assistance Program (PAP) or to enroll a patient for free goods as part of the Temporary Patient Assistance Program (TPAP). If the request is limited to Benefit Verification or Copay Assistance Program support, the Prescriber, or an individual acting at the direction of the Prescriber and involved in the patient's care may sign this form.)  By signing below, I certify that the therapy referenced in this form is medically necessary. If this form is to be used to enroll a patient in free goods as part of the PAP or Temporary PAP, I cert that the therapy referenced in this form is prescribed consistent with an FDA-approved indication. I certify that a prescription signed by a licensed prescriber is on file for the referenced that I have received the necessary authorization from the patient and/or the patient's guardian to release the information herein and medical and/or patient information relation liquivo therapy to Ipsen and its agents or contractors for the purpose of seeking reimbursement for Iqirvo therapy, assisting in initiating or continuing Iqirvo therapy, and/or evaluating the patient's eligibility for Ipsen's patient support programs administered by IPSEN CARES. I authorize Ipsen and its agents or contractors to forward a prescription by fax or other delivery mode to the designated pharmacy. I understand that I must comply with applicable state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, Non-compliance with state-specific requirements could result in outreach to me. I certify that any medications received by me or on my behalf from Ipsen in connection with any IPSEN CARES. In a submitted to be a prescribed to the additionally, no claim for reimbursement will be submitted to be returned for credit. If the named patient does not return for therapy, produc											
Prescriber Signature (dispense as written) Date	STEP 4	PRESCRIBER ATTESTATION  (The Prescriber must sign if this form is to be used as a prescription to be triaged to a specialty pharmacy to enroll the patient for free goods as part of the Patient Assistance Program (PAP), or to enroll a patient for free goods as part of the Temporary Patient Assistance Program (TPAP). If the request is limited to Benefit Verification or Copay Assistance Program support, the Prescriber, or an individual acting at the direction of the Prescriber and involved in the patient's care may sign this form.)  By signing below, I certify that the therapy referenced in this form is medically necessary. If this form is to be used to enroll a patient in free goods as part of the PAP or Temporary PAP, I certify that the therapy referenced in this form is prescribed consistent with an FDA-approved indication. I certify that a prescription signed by a licensed prescriber is on file for the referenced therapy and that I have received the necessary authorization from the patient and/or the patient's guardian to release the information herein and medical and/or patient information relating to Iqirvo therapy to Ipsen and its agents or contractors for the purpose of seeking reimbursement for Iqirvo therapy, assisting in initiating or continuing Iqirvo therapy, and/or evaluating the patient's eligibility for Ipsen's patient support programs administered by IPSEN CARES. I authorize Ipsen and its agents or contractors to forward a prescription by fax or other delivery mode to the designated pharmacy. I understand that I must comply with applicable state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outcach to me. Lecrtify that any medications received by me or on my behalf from Ipsen in connection with any IPSEN CARES program will be used only for the named patient. These medications will not be offered for sale, transfer, or otherwise diverted. Additionally, no claim for reimbu									
		PRESCRIBER SIGNATURE (stamp signature not allowed)									
Prescriber Signature (substitution permissible) Date		Prescriber Signature (dispense as written)								Date	
		Dynasyihay Ci	eneture (substitution normissi	I- I - \							

### IPSEN CARES® ENROLLMENT FORM Questions? Call IPSEN CARES at 1-866-435-5677

# Please print the form, fill it out completely, sign it, and fax to: 1-855-465-3820







PAT	IENT INFORMATION							
Pati	ent Name (First & Last)	Home Phone #						
Add	ress	Cell Phone #						
City	·	Caregiver/Legal Guardian Na	me (First & Last)					
Stat	e Zip	=						
Date	e of Birth (MM/DD/YY)/	Caregiver/Legal Guardian Pho	Caregiver/Legal Guardian Phone #					
Gen	der Assigned at Birth Male Female	Relationship to Patient	Relationship to Patient					
Ema	ail	Best Time to Contact Mor	rning Afternoon Evening					
to Ip Wou Info man pati to d	Would you like to receive text messages from Ipsen for the purposes of helping you/the patient participate in IPSEN CARES patient support programs and/or stay on therapy, as described in Step 9 on Page 5, under <i>Additional Product and Support Information</i> ? I give permission to Ipsen to contact me by text message for the purposes described in Step 9 on Page 5. Carrier, text, and data rates may apply.  Yes No If Yes, please initial here:  Would you like to receive marketing information from Ipsen as described in Step 9 on Page 5 under <i>Additional Product and Support Information</i> ? I give permission to Ipsen to contact me with information via mail, email, phone, or text message, all of which may include marketing, advertisements, disease state awareness materials, and educational material about Iqirvo and programs that support patients. I understand and agree that any information I provide may be used by Ipsen to conduct data analysis and market research, and to develop new programs and resources. Automatic dialing may be used. Carrier, text, and data rates may apply. I understand that I am not required to provide this consent as a condition of purchasing any goods or services. Yes No If Yes, please initial here:							
INS	URANCE INFORMATION							
Con	Complete or attach front and back copy of patient's primary and secondary insurance cards for pharmacy and medical benefits.							
Is Pa	atient Insured? Yes No	Does Patient Have Seconda	ry Insurance? Yes No					
Poli	cy Holder Name	Secondary Insurance Co						
Prin	nary Insurance Co	Insurance Co. Phone #						
Insu	ırance Co. Phone #	Subscriber Policy ID #						
Sub	scriber Policy ID #	Policy/Employer/Group #						
Poli	cy/Employer/Group #	Pharmacy Benefit Manager	Pharmacy Benefit Manager					
Is Pl	hysician a Participating Provider? Participating	RxBIN	RxPCN					
	Non-Participating	RxGroup	RxID					

IPSEN CARES COPAY PROGRAM (Required for patients seeking to participate in the Iqirvo Copay Assistance Program)

Eligible patients using commercial insurance can save on out-of-pocket Ipsen medication costs. Please see <u>Patient Eligibility & Terms and Conditions</u>.

I attest that I am not enrolled in any health insurance plan from any state or federally funded programs (including, but not limited to, Medicare or Medicaid, VA, DOD, or TRICARE) and agree to the Terms and Conditions of the Copay Program. Yes No

I would like IPSEN CARES to check my eligibility for, and enroll me into, the Iqirvo Copay Assistance Program if the results of this benefit verification determine that I have commercial or private health insurance.

I confirm that any information, including financial and insurance information, that I provide to IPSEN CARES is complete and true, and I will immediately notify IPSEN CARES in the event my health insurance coverage changes. I also understand that Ipsen may revise, change, or terminate this program at any time without notice.

Completed by the patient/legal guardian

유

**PROOF OF INCOME\*** 

Please print the form, fill it out completely, sign it, and fax to: 1-855-465-3820 IPSEN CARES must receive all pages in order for the Enrollment Form to be complete.

Note: Page 3 can be left blank if the patient is not seeking to participate in the Patient Assistance Program.



# **IPSEN CARES PATIENT ASSISTANCE PROGRAM APPLICATION**

(Required for patients seeking to participate in the Patient Assistance Program)

The Patient Assistance Program (PAP) is designed to provide Iqirvo at no cost to eligible patients. Patients may be eligible to receive free drug if they are experiencing financial hardship and meet financial eligibility criteria, are uninsured or functionally uninsured, residents of the U.S., and received a valid prescription for an on-label use of Iqirvo as supported by information provided in the program application. Eligibility does not guarantee approval for participation in the program. Free Iqirvo provided by the PAP is intended only for the patient named in the application and must not be sold, transferred, or otherwise diverted. Patients must not seek reimbursement for the free drug provided by the PAP. The PAP provides Iqirvo product only, and does not cover the cost of previously purchased product or medical services. The PAP is not insurance. By submitting an application for the PAP, patient agrees to abide by these program terms.

My estimated annual household income currently is \$ \_\_\_\_\_\_ Number of people in household \_

*IPSEN CARES will conduct a soft credit check as part of the process of confirming income and determining eligibility for the program.
THIRD PARTY VERIFICATION AUTHORIZATION
I understand that I am providing "written instructions" under the Fair Credit Reporting Act ("FCRA") authorizing the IPSEN CARES Patient Assistance Program (the "Program"), Ipsen Biopharmaceuticals, Inc. ("Ipsen"), and its vendor, on an ongoing basis as needed for the duration of my participation in Program, under the FCRA, to obtain information from my credit profile or other information from a credit reporting agency (including, without limitation, Experian Health), for the purpose of determining financial qualifications and eligibility for programs administered by Ipsen and the Program. I understand that I am affirmatively agreeing to these terms in order to proceed in this financial screening process. I promise that any information, including financial and insurance information that I provide, are complete and true and, unless I have indicated otherwise, I have no drug insurance coverage, which includes Medicaid, Medicare or any public or private assistance program or any other form of insurance. If my income or health coverage changes, I will call the Program at 1-866-435-5677.
Patient/Legal Guardian Signature Date

Please print the form, fill it out completely, sign it, and fax to: 1-855-465-3820

elafibrano

IPSEN CARES must receive all pages in order for the Enrollment Form to be complete.

Note: Page 3 can be left blank if the patient is not seeking to participate in the Patient Assistance Program.

# PATIENT AUTHORIZATION TO USE/DISCLOSE HEALTH INFORMATION: IPSEN CARES® PROGRAM

I authorize my doctor(s) and their staff (including those pharmacies that may receive my prescription for Igirvo) to disclose my protected health information ("PHI"), including health information about insurance, prescription, care management, and medical condition to Ipsen Biopharmaceuticals, Inc., and/or its affiliates, and/or its agents or third-party vendors that have been hired to administer the Ipsen Coverage, Access, Reimbursement & Education Support (IPSEN CARES) program (collectively, "Ipsen") in order for Ipsen to (1) enroll me in IPSEN CARES; (2) establish my benefit eligibility and potential out of pocket costs for Igirvo; (3) communicate with my doctors and health plans about my treatment plan; (4) provide support services, including patient education and financial assistance for Igirvo; (5) help get Igirvo shipped to me or my healthcare provider; and (6) facilitate my participation in Iqirvo patient programs as I have requested or may request, including the IPSEN CARES Patient Assistance Program (the "PAP") if applicable. I agree that, using the contact information I provide, Ipsen may contact me by phone, mail, and/or email for reasons related to the IPSEN CARES program and support services, including (1) determining I am eligible for assistance and related support services, (2) leaving messages for me that disclose that I am on Igirvo therapy and/or applied for IPSEN CARES support services and am or am not eligible for assistance; (3) operating Ipsen Cares patient programs that might help me pay for or access my medicines; and (4) confirming receipt of medications. I consent to being contacted by an IPSEN CARES program representative in order for the program to obtain further information or clarification regarding any adverse event I may experience. I also give Ipsen permission to share my PHI and other information with people and companies that work with IPSEN CARES, including; government agencies, including insurance providers; my doctor(s) and other people, or institutions who are involved in my healthcare, such as pharmacies and hospitals; and/or other organizations that might help me pay for my medication. All information that I provide may be used by Ipsen or any third party working on behalf of Ipsen in connection with IPSEN CARES. I understand that my healthcare providers may receive remuneration from Ipsen in connection with my PHI and/or for any therapy support services provided to me.

I understand that once my PHI has been disclosed to Ipsen, it is no longer protected by federal privacy laws, and Ipsen may re-disclose it; however, Ipsen has agreed to make reasonable efforts to protect my PHI by using and disclosing it only for the purposes described above or as required by law. I can withdraw this authorization by contacting IPSEN CARES at 1-866-435-5677 or mailing a letter requesting such revocation to IPSEN CARES, 2250 Perimeter Park Dr. Suite 300 Morrisville, NC 27560, but it will not change any actions taken before I withdraw this authorization. Withdrawal of this authorization will end further uses and disclosures of PHI by the parties identified in this form except to the extent those uses and disclosures have been made in reliance upon this authorization. I understand that I may refuse to sign this form and, if I do so, I will not be able to participate in IPSEN CARES, but it will not affect my eligibility to obtain medical treatment, my ability to seek payment for this treatment, or affect my insurance enrollment or eligibility for insurance coverage. This authorization expires three years from the date signed unless a shorter time is required by law or unless I revoke my authorization before that time. I understand that I will receive a copy of the signed authorization.

#### PATIENT AUTHORIZATION

I have read and understand the IPSEN CARES Patient Authorization on this page and agree to the terms.

Patient/Legal Guardian Signature	Date
----------------------------------	------

Please print the form, fill it out completely, sign it, and fax to: 1-855-465-3820

IPSEN CARES must receive all pages in order for the Enrollment Form to be complete.

Note: Page 3 can be left blank if the patient is not seeking to participate in the Patient Assistance Program.



#### ADDITIONAL PRODUCT AND SUPPORT INFORMATION

#### **Text Communications**

To the extent that I have opted in under Step 5 of this form, I agree to be contacted by autodialed text messages ("texts") at the mobile phone number I have provided for the purpose of helping me stay on therapy, which may promote or advertise the Ipsen products included in the therapy plan, and/or which may include provision of educational materials and information about programs that support patients. I certify that the number I am providing belongs to me and not a family member or third party. I understand that I may opt out of individual communications or all text communications entirely at any time by calling 1-866-435-5677 or replying "STOP" by text to any text from Ipsen. Ipsen will not sell or rent this information and will use it only in accordance with this authorization and consent. Consent to being contacted by text messages is not a condition of participation in the IPSEN CARES programs or the purchase of any products or services. I understand that my cellular service carrier's data and text messaging rates may apply. This authorization expires three years from the date signed unless a shorter time is required by law or unless I revoke my authorization before that time. If I am providing this consent on behalf of another person, I certify that I am authorized to agree to every element of this consent on behalf of such other person, and I agree that I will be liable and will hold Ipsen harmless in the event that such other person alleges that they did not give consent.

# **Marketing Information**

To the extent that I have opted in under Step 5 of this form, I would like to receive information from Ipsen via mail, email, phone or text message, all of which may include marketing content, advertisements, disease state awareness materials and educational material about Igirvo, and programs that support patients. These text messages and voice calls may be made via the use of automatic telephone dialing systems. I certify that the number I am providing belongs to me and not to a family member or other third party. I understand that I do not have to sign this section of the form in order to participate in the IPSEN CARES program and that I may revoke this authorization to receive additional product information at any time. I agree that Ipsen and its agents may use and disclose my personal information (including name, address, phone number, and/or email) to provide this information and Ipsen may also contact me to solicit my opinions regarding Iqirvo and Ipsen's products and services. I understand and agree that any information I provide may be used by Ipsen to conduct data analysis and market research, and to develop new programs and resources. I understand that my cell phone carrier's standard rates may apply for calls and texts to my cell phone. This authorization expires three years from the date signed unless a shorter time is required by law or unless I revoke my authorization before that time. I may revoke this authorization, by calling 1-866-435-5677 or sending a request in writing to: IPSEN CARES, 2250 Perimeter Park Dr. Suite 300 Morrisville, NC 27560. If I am providing this consent on behalf of another person, I certify that I am authorized to agree to every element of this consent on behalf of such other person, and I agree that I will be liable and will hold Ipsen harmless in the event that such other person alleges that they did not give consent.

We are collecting personal information in order to fulfill your request. Please see Ipsen's privacy policy at <a href="https://www.ipsen.com/us/privacy-policy/">https://www.ipsen.com/us/privacy-policy/</a>. Residents of certain states have additional rights regarding the collection, use, and disclosure of their personal information. For more information, please see Ipsen's Supplemental State Privacy Notice at <a href="https://www.ipsen.com/us/Supplement-Website-Privacy-Notice/">https://www.ipsen.com/us/Supplement-Website-Privacy-Notice/</a>.



# INDICATION and IMPORTANT SAFETY INFORMATION



#### **INDICATION**

IQIRVO® is indicated for the treatment of primary biliary cholangitis (PBC) in combination with ursodeoxycholic acid (UDCA) in adults with an inadequate response to UDCA, or as monotherapy in adults unable to tolerate UDCA.

This indication is approved under accelerated approval. Continued approval for this indication may be contingent upon verification and description of clinical benefit in confirmatory trial(s).

#### **IMPORTANT SAFETY INFORMATION**

**Liver related events:** tests including transaminases and bilirubin increase have been reported in 4% of patients receiving IQIRVO compared to 6% of patients receiving placebo. Assessment of liver function should be done prior to treatment initiation with IQIRVO and periodically, thereafter. If increases in liver biochemical tests or dysfunction are observed, prompt investigation of the cause is recommended and interruption of IQIRVO should be considered.

**Elevated blood creatine phosphokinase and Muscle Injury:** Increases in blood creatine phosphokinase (CPK) have been reported in patients receiving IQIRVO. There was one case of rhabdomyolysis which occurred in the pivotal phase 3 study in a patient with cirrhosis and ongoing treatment with an HMG-CoA reductase inhibitor. CPK should be evaluated prior to treatment initiation and thereafter according to routine patient management. Patients on IQIRVO should be advised to report any unexplained muscle symptoms such as pain, soreness, or weakness to their healthcare provider. If increases in CPK or unexplained signs and symptoms of muscle injury are observed, prompt investigation of the cause is recommended, and treatment interruption should be considered.

**Embryo-Fetal Toxicity:** Studies in pregnant animals treated with IQIRVO indicate adverse effects at clinically relevant exposure. IQIRVO may cause fetal harm when administered to a pregnant woman. Advise pregnant women of the potential risk to a fetus.

## **Use in Special Populations**

**Pregnancy:** Based on findings in pregnant animals, IQIRVO may cause fetal harm when administered to a pregnant woman. IQIRVO is not recommended during pregnancy and in females of reproductive potential not using effective contraception because of potential harm to the fetus.

**Lactation:** There are no data available on the presence of IQIRVO or its metabolites in human milk, or on effects of the drug on the breastfed infant or the effects on milk production. IQIRVO is not recommended during breastfeeding and for at least 3 weeks following last dose of IQIRVO because the risk to breastfed child cannot be excluded.

**Females and Males of Reproductive Potential:** IQIRVO can cause fetal harm when administered to pregnant women. Verify the pregnancy status of females of reproductive potential prior to initiating IQIRVO. Advise females of reproductive potential to use effective contraception during treatment with IQIRVO and for 3 weeks after the final dose. Advise women planning to become pregnant to consult with their healthcare provider regarding alternate treatment options.

The most common adverse events occurring in  $\geq$ 10% of patients were abdominal pain (11%), nausea (11%), vomiting (11%), and diarrhea (11%)

You are encouraged to report side effects to FDA at (800) FDA-1088 or <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>. You may also report side effects to Ipsen Pharmaceuticals at 1-855-463-5127.

Please see accompanying full <u>Prescribing Information</u>, including <u>Medication Guide</u>.