

Date Shipment Needed: \_

Ship To: Patient Prescriber

MASH	REFE	RRAL	FORM
------	------	------	------

		MASH RE	FERRAL FORM					
PATIENT INFORMATION								
Patient Name:		DOB:	Sex: 🗆 M 🗆	∃F □Other:	N	/eight:	□lbs. □kg.	
SSN:	Phone:	Allergies:						
Address:	·		City:	State:	Z	ip:		
Emergency Contact:		Phone:		□ Please	attach demog	raphic infor	mation	
PRESCRIBER INFORMATI	ON					-		
Prescriber:		NPI:		DEA:	State Lic:			
Supervising Physician:			Practice Name:					
Address:			City:	State:	Z	ip:		
Phone:	Fax:		Key Office Contact	t:		hone:		
	N / MEDICAL ASSESSMENT							
	SH (MASH) K75.81							
	that patient has tried and failed		dications:					
- Flease list ALL MILD'S below		IOF UX INCIDUING ANY OTO THE						
CLINICAL INFORMATION I								
<ul> <li>Please attach the follow</li> </ul>	•							
□ Clinical Notes pertaining to		Fibrosis score with rele FibroScan, FibroSURE	00				risk factors such	
<ul> <li>Current medication list (in and any thyroid agents)</li> </ul>					as: diabetes / pre-diabetes, obesity, hypertension, hypertriglyceridemia			
Recent labs (drawn withir	n the past 90 days) that include	Current diet and exercis weight management pro	se plan and / or participation	on in 🛛 Other:				
CBC, CMP and liver fund	( )	Current weight	ogram					
	ASH, date and type of therapy							
INSURANCE INFORMATIO	N							
□ Please attach front and	back of patient's insurance	card (medical and pres	cription)					
COPAY CARD ENROLLME	NT							
Please check if enrolling	g in copay card Copa	ıy ID:						
PRESCRIPTION INFORMA	TION							
Rezdiffra <sup>™</sup> 60 mg, 80 mg and	d/or 100 mg Tablets							
	ng PO once daily with or without for	bd			QTY:	30	Refills:	
□ Actual BW ≥ 100 kg: 100 m	ng PO once daily with or without for	bd			QTY:	30	Refills:	
For CYP2C8 inhibitors (moder	ate medications such as Plavix)							
For CYP2C8 inhibitors (moderate medications such as Plavix) □ Actual BW < 100 kg: 60 mg PO once daily with or without food					QTY:	30	Refills:	
□ Actual BW ≥ 100 kg: 80 m		QTY:	30	Refills:				
* Concomitant use of Rezdiff	ra with strong CYP2C8 inhibitors	(e.g., gemfibrozil/Lopid) is	not recommended					
□ Other:					QTY:		Refills:	
					QII			
Prescriber's Signature	):		[	□ DAW (Dispense as W	ritten)	Date:		
Prescriber certifies that this referral	form contains an original signature a		criber. NO STAMPED SIGN	ATURES WILL BE ACCEPT	ED. Where required	by law, send ele	ectronic prescription or on	
	the event requested agent is not avail av contain privileged and confidential inform	•	•	• • •		ribute or conv this	fax. Please notify the sender	
immediately if you have received this doc	ay contain privileged and confidential inform sument by mistake, then destroy this docum	ent. Please direct all verification or r	notification to AcariaHealth or an	y of its subsidiaries using the o	contact information pro-	ided on this cover	rsheet.	